	Application No.	Applicant(s)
	10/691,313	MASON, KEN
Notice of Allowability	Examiner	Art Unit
	THUANT NOUVEN	2685
	THUAN T. NGUYEN	2085
The MAILING DATE of this communication apperature of the Communication apperature of the Communication apperature of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-33</u> .		
3.   Acknowledgment is made of a claim for foreign priority unal    a)   All b)   Some* c)   None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 ☐ Notice of Informat	Patent Application (PTO-152)
Notice of Preferences Cited (170-032)     Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Summar	ry (PTO-413),
3. ⊠ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail D 08), 7. 🗌 Examiner's Amend	ate dment/Comment
Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit		nent of Reasons for Allowance
of Biological Material	9.  Other	
·		

Application/Control Number: 10/691,313

Art Unit: 2685

## **DETAILED ACTION**

## Allowable Subject Matter

1. Claims 1-33 are allowed.

## Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

The prior arts of record issued to Tanaka and Simpson (PTO-892 attached) fails to either alone or combine to teach or suggest a radio frequency receiver for receiving supplementary data transmitted with a radio station signal, wherein the supplementary data comprising one or more information word fields containing supplementary data transmitted with the radio station signal; and the receiver further comprising a host processor, a supplementary data demodulator and decoder, an information word type memory, and a detection circuitry for detecting and comparing the information word type field decoded by the supplementary data decoder with one or more information word type fields stored in the information word type field memory, and providing a matched condition signal in response to a match if detected, and in response to the matched condition signal, processing the corresponding supplementary data by the host processor as cited in claims 1 and 33. Although Tanaka shows figure 2 which is similar to the figure 1 of the present invention; however, Tanaka teaches a different approach in controlling the reenergizing and deenergizing of the receiver circuitry and totally silent on the supplementary data and the detection circuitry for the comparison procedure as noted above. Simpson compares the color codes in order to determine the cell location of the portable unit (refer to the summary), and as shown in Fig. 12, the receiver of Simpson does not suggest having a detection circuitry or

Application/Control Number: 10/691,313

Art Unit: 2685

module for doing the comparison step for the supplementary data transmitted with the radio station signal and neither have the step of providing a matched condition signal.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Gupta, Logan et al., Hillman et al., and Childress et al. (PTO-892 attached) disclose systems related to having different approaches in provide information data, words, and supplementary data.

4. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to the New Central Fax number:

(571) 273-8300, (for Technology Center 2600 only)

Hand deliveries must be made to Customer Service Window,

Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Application/Control Number: 10/691,313 Page 4

Art Unit: 2685

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Tony Thuan Nguyen whose telephone number is (571) 272-7895.

The examiner can normally be reached on Monday-Friday from 9:30 AM to 7:00 PM, with

alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward Urban, can be reached at (571) 272-7899.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tony T. Nguyen Art Unit 2685 March 15, 2006

> EDWARD F. UNZAM SUPERVISORY PATENT EXCENSES TECHNOLOGY CENTER 2010